


# MZ62X2570DP

Type	AI ZOOM		Mount	C	2/3"	
Focal Length	25.0~1550mm		Back Focus	42.27mm		
Fno.	F7.0		Mechanical Bf	17.53mm		
Designed Image Format	2/3"(6.6x8.8mm)		Exit Pupil	-67.91mm		
Operation Range	Iris	F7.0-CLOSE	Filter Size	M109 P=1		
	Focus	5.0m ~ infinity	Aperture	Front	∅ -	
	Zoom	25.0~1550mm		Rear	∅ -	
Control	Iris	DC Motor	Dimension	150x135x367.5mm		
	Focus	DC Motor		Weight	5250 g	
	Zoom	DC Motor				
Object Size at MOD	Wide	1229.0x 923.0mm				
	Tele	19.9x 15.0mm				
Field of View	D	24.76°~0.40°				
	H	2/3" 19.96°~0.32°	1/2"	14.61°~0.24°		
	V	15.06°~0.24°		10.97°~0.18°		
Control	Iris		Focus	Zoom		
Driving Coil/Supply Volt.	190 Ω		DC 6-12V	DC 6-12V		
Damping Coil/Current	1000 Ω		60mA or less	60mA or less		
Response Time	about 2 sec.		about 8 sec.	about 8 sec.		
Potentiometer	-		-	-		
Light Measuring Method			-			
Input Signal			-			
Iris Accuracy			-			
Sensitivity Adjustment			-			
Operating Temperature	-10 ~ +50 degree C					

C

V

## DIMENSIONS



## CABLE CONNECTION

### IRIS

4 - PIN PLUG

- ① (-)DAMPING COIL
- ② (+)DAMPING COIL
- ③ (+)DRIVING COIL
- ④ (-)DRIVING COIL

## DRIVE

HDAB-15P(HIROSE)

- FOCUS { ① + FAR
- ② -
- ZOOM { ③ + WIDE
- ④ -
- POTENTIO { ⑧ F.POT(-)
- METER { ⑨ Z.POT WIP
- ⑩ F.POT WIP
- ⑪ F.POT(+)
- ⑫ Z.POT(+)
- ⑬ Z.POT(-)